

FORM PTO-1449

Att. Docket No. REG 203B-US

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

Att. Docket No. : REG 203B-US
Serial No. : 09/787,835
Applicant(s): : Stahl, N. and Yancopoulos, G.D.
Date Filed : March 22, 2001
For : RECEPTOR BASED ANTAGONISTS,
AND METHODS OF MAKING AND
USING
Examiner : Not Yet Known
Group Art Unit : Not Yet Known


October 2, 2001

U.S. PATENT DOCUMENTS

Examiner Initials	Patent/ Publication Number	Patent/ Publication Date	Serial Number	Filing Date	Name
<u>EMA</u>	<u>5,470,952</u>	<u>11/28/95</u>			<u>Stahl, N., et al.</u>
<u>EMA</u>			<u>60/101,858</u>	<u>9/25/98</u>	<u>Stahl, N. & Yancopoulos, G.D.</u>
<u>CSA</u>			<u>09/313,942</u>	<u>5/19/99</u>	<u>Stahl, N. & Yancopoulos, G.D.</u>

FOREIGN PATENT DOCUMENTS

Examiner Initials	Document Number	Date	Country	Class/ Subclass	Translation Yes	No
<u>EMA</u>	<u>EP0835939A2</u>	<u>6/22/91</u>	<u>EP</u>		<u>X</u>	<u>X</u>
<u>EMA</u>	<u>EP0533006A1</u>	<u>9/5/92</u>	<u>EP</u>			
<u>EMA</u>	<u>EP0864585A1</u>	<u>9/16/98</u>	<u>EP</u>			
<u>EMA</u>	<u>WO93/10151</u>	<u>5/27/93</u>	<u>PCT</u>			
<u>EMA</u>	<u>WO93/18047</u>	<u>9/16/93</u>	<u>PCT</u>			
<u>EMA</u>	<u>WO93/19163</u>	<u>9/30/93</u>	<u>PCT</u>			
<u>EMA</u>	<u>WO93/19777</u>	<u>10/14/93</u>	<u>PCT</u>			




<u>EIA</u>	✓	WO94/22914	10/13/94	PCT			
<u>EIA</u>	✓	WO95/06737	3/9/95	PCT			
<u>EIA</u>	✓	WO95/10611	4/20/95	PCT			
<u>EIA</u>	✓	WO96/11213	4/18/96	PCT			
<u>EIA</u>	✓	WO96/23881	8/8/96	PCT			
<u>EIA</u>	✓	WO96/04389	2/15/96	PCT			
<u>EIA</u>	✓	WO96/35783	11/14/96	PCT			
<u>EIA</u>	✓	WO97/15669	5/1/97	PCT			
<u>EIA</u>	✓	WO97/23613	7/3/97	PCT			
<u>EIA</u>	✓	WO97/31946	9/4/97	PCT			
<u>EIA</u>	✓	WO98/02558	1/22/98	PCT			
<u>EIA</u>	✓	WO99/37772	7/29/99	PCT			

OTHER DOCUMENTS

Examiner
 Initials

- EIA CELL, 1991, Aruffo, A., et al., "CD62/P-Selectin Recognition of Myeloid and Tumor Cell Sulfatides", 67:35-44.
- EIA CANCER RES, 1993, Bargetzi, M.J., et al., "Interleukin-1 β Induces Interleukin-1 Receptor Antagonist and Tumor Necrosis Factor Binding Protein in Humans," 53:4010-4013.
- EIA J. of BIO. CHEM., 1994, Bassing, C., et al., "A Single Heteromeric Receptor Complex Is Sufficient to Mediate Biological Effects of Transforming Growth Factor- β Ligands", 269(21):14861-14864.
- EIA J. of BIO. CHEM., 1990, Baumann, M., et al., "Molecular Cloning, Characterization and Functional Expression of the Rat Liver Interleukin 6 Receptor", 265(32):19853-19862.
- EIA NEURON, 1991, Bazan, J.F., "Neurotrophic Cytokines in the Hematopoietic Fold", 7:197-208.
- EIA PROC. NATL. ACAD. SCI., 1990, Bazan, J.F., "Structural design and molecular evolution of a cytokine receptor superfamily" 87:6934-6938.
- EIA J. of VIR, 1992, Cheung, S.C., et. al., "A Recombinant Fab Expressed in *Escherichia coli* Neutralizes Rabies Virus", 66(11):6714-6720.



SCIENCE, 1991, Davis, S., et. al., "The Receptor for Ciliary Neurotrophic Factor", 253:59-63. ✓

SCIENCE, 1993, Davis, S., et. al., "Released Form of CNTF Receptor α Component as a Soluble Mediator of CNTF Responses", 259:1736-1739. ✓

SCIENCE, 1993, Davis, S., et. al., "LIFR β and gp130 as Heterodimerizing Signal Transducers of the Tripartite CNTF Receptor", 260:1805-1808. ✓

BIOCHIMICA et BIOPHYSICA ACTA, 1997, Derynck, R. and Feng, X., "TGF- β receptor signaling", F105-150. ✓

EUR. CYTOKINE NETW, 1996, Duschl, A. and Sebald, W., "Transmembrane and intracellular signalling by interleukin-4: receptor dimerization and beyond," 7:37-49. ✓

THE EMBO JOURNAL, 1991, Gearing, D.P., et. al., "Leukemia inhibitory factor receptor is structurally related to the IL-6 signal transducer, gp130", 10(10):2839-2848. ✓

SCIENCE, 1992, Gearing, D.P., et. al., "The IL-6 Signal Transducer, gp130: An Oncostatin M Receptor and Affinity Converter for the LIF Receptor", 255:1434-1437. ✓

J. of BIOL. CHEM., 1995, Greenfeeder, S.A., et. al., "Molecular Cloning and Characterization of a Second Subunit of the Interleukin 1 Receptor Complex", 270(23):13757-13765. ✓

CELL, 1990, Hibi, M., et. al., "Molecular Cloning and Expression of an IL-6 Signal Transducer, gp130", 63:1149-1157. ✓

THE EMBO JOUR, 1994, Hilton, D.J., et. al., "Cloning of a murine IL-11 receptor α -chain; requirement for gp130 for high affinity binding and signal transduction", 13(20):4765-4775. ✓

CELL, 1992, Ip, N.Y., et. al., "CNTF and LIF Act on Neuronal Cells via Shared Signaling Pathways That Involve the IL-6 Signal Transducing Receptor Component gp130", 69:1121-1132. ✓

IMMUNOBIOLOGY-THE IMMUNE SYSTEM IN HEALTH AND DISEASE, 2nd Edition, Janeway-Travers, Appendix II "Cytokines and their receptors", A:9. ✓

J. of CLIN. IMMUNOL., 1996, Kennedy, M.K., and Park, L.S., "Characterization of Interleukin-15 (IL-15) and the IL-15 Receptor Complex", 16(3): 134-143. ✓

GENES AND DEVELOPMENT, 1994, Kingsley, D.M., "The TGF- β superfamily: new members, new receptors, and new genetic tests of function in different organisms", 8:133-146. ✓

SCIENCE, 1992, Kishimoto, T., et. al., "Interleukin-6 and Its Receptor: A Paradigm for Cytokines", 258:593-597. ✓



EA

SCIENCE, 1993, Kondo, M., et. al., "Sharing of the Interleukin-2 (IL-2) Receptor γ Chain Between for IL-2 and IL-4", 262:1874-1877. ✓

EA

THE EMBO JOURNAL, 1997, Kotenko, S.V., et. al., "Identification and functional characterization of a second chain of the interleukin-10 receptor complex", 16(9):5894-5903. ✓

EA

J. of BIOL. CHEM., 1995, Kotenko, S.V., et. al., "Interaction between the Components of the Interferon γ Receptor Complex", 10(36):20915-20921. ✓

EA

PROC. NATL. ACAD. SCI., 1992, Layton, M.J. et al., "A major binding protein for leukemia inhibitory factor in normal mouse serum: Identification as a soluble form of the cellular receptor", 89:8616-8620. ✓

EA

MOL. and CELL. BIOL., 1997, Lebrun, J.J., and Vale, W.W., "Activin and Inhibin Have Antagonistic Effects on Ligand-Dependent Heteromerization of the Type I and Type II Activin Receptors and Human Erythroid Differentiation", 17(3):1682-1691. ✓

EA

J. of IMMUNOL., 1993, Lewis, A.P., et al., "Rescue, Expression, and Analysis of a Neutralizing Human Anti-Hepatitis A Virus Monoclonal Antibody", 151(5):2829-2838. ✓

EA

ANNUAL REVIEW OF IMMUNOLOGY, 1992, Miyajima, A., et. al., "Cytokine Receptors and Signal Transduction", 10:295-331. ✓

EA

J. of IMMUNOL., 1993, Mohler, K.M., et. al., "Soluble Tumor Necrosis Factor (TNF) Receptors Are Effective Therapeutic Agents in Lethal Endotoxemia and Function Simultaneously as Both TNF Carriers and TNF Antagonists", 151(3):1548-1561. ✓

EA

PROC. NATL. ACAD. SCI., 1991, Murakami, M., et. al., "Critical cytoplasmic region of the interleukin 6 transducer gp130 is conserved in the cytokine receptor family", 88:11349-11353. ✓

EA


SCIENCE, 1993, Murakami, M., et. al., "IL-6-Induced Homodimerization of gp130 and Associated Activation of a Tyrosine Kinase", 260:1808-1810. ✓

EA

BLOOD, 1993, Narazaki, M., et. al., "Soluble Forms of the Interleukin-6 Signal Transducing Receptor Component gp130 in Human Serum Possessing a Potential to Inhibit Signals Through Membrane-Anchored gp130", 82(4):1120-1126. ✓

EA

PROC. NATL. ACAD. SCI., 1991, Rose, T.M., and Bruce, G., "Oncostatin M is a member of a cytokine family that includes leukemia-inhibitory factor, granulocyte colony-stimulating factor, and interleukin 6", 88:8641-8645. ✓



EA

CUR OPIN CELL BIO, 1994, Sato, N., and Miyajima, A.,
"Multimeric cytokine receptors: common versus specific functions",
66:174-179.

EA

BIOCHEM and BIOPHYS RES COMM, 1997, Seipelt, I., et al.,
"Overexpression, Purification, and Use of a Soluble Human
Interleukin-4 Receptor α -chain/Ig γ 1 Fusion Protein for Ligand Binding
Studies," 239:534-542.

EA

J. of BIOL. CHEM., 1993, Stahl, N., et. al., "Cross-linking Identifies
Leukemia Inhibitory Factor-binding Protein as a Ciliary Neurotrophic
Factor Receptor Component", 268(11):7628-7631.

EA

SCIENCE, 1994, Stahl, N., et. al., "Association and Activation
of Jak-Tyk Kinases by CNTF-LIF-OSM-IL-6 β Receptor
Components", 263:92-95.

EA

SCIENCE, 1995, Stahl, N., et. al., "Choice of STATs and Other
Substrates Specified by Modular Tyrosine-Based Motifs in
Cytokine Receptors", 267:1349-1353.

EA

CELL, 1993, Stahl, N., and Yancopoulos, G.D., "The Alphas, Betas,
and Kinases of Cytokine Receptor Complexes", 74:587-590.

EA

J. of NEUROBIOL., 1994, Stahl, N., and Yancopoulos, G.D., "The
Tripartite CNTF Receptor Complex: Activation and Signaling Involves
Components Shared with Other Cytokines", 25(11):1454-1466.

EA

FASEB JOURNAL, 1999, Stahl, N., et al., "Cytokine Traps:
Heteromeric Receptor-Based Protein Therapeutics that Function as
High-Affinity Blockers of Cytokine Action," Abstract, 1457.

EA

CELL, 1989, Taga, T., et. al., "Interleukin-6 Triggers the
Association of its Receptor with a Possible Signal Transducer,
gp130", 58:573-581.

EA

CELL, 1982, Takahashi, N., et. al., "Structure of Human
Immunoglobulin Gamma Genes: Implications for Evolution
of a Gene Family", 29:671-679.

EA


J. of BIOL. CHEM., 1994, Ward, L.D., et. al., "High Affinity
Interleukin-6 Receptor Is a Hexameric Complex Consisting of
Two Molecules Each of Interleukin-6, Interleukin-6 Receptor,
and gp130", 269(37):23286-23289.

EA

J. of BIOL. CHEM., 1997, Wesche, H., et. al., "The Interleukin-1
Receptor Accessory Protein (IL-1RAcP) Is Essential for IL-1 induced
Activation of Interleukin-1 Receptor-associated Kinase (IRAK) and
Stress-activated Protein Kinases (SAP Kinases)", 272(12):7727-7731.

EA

MINERAL AND ELECTROLYTE METABOLISM, 1998, Wrana, J.,
"TGF- β Receptors and Signaling Mechanisms", 24:120-130.



EMA

SCIENCE, 1988, Yamasaki, K., et. al., "Cloning and Expression of the Human Interleukin-6 (BSF-2/IFN β) Receptor", 241:825-828.

EXAMINER
CONSIDERED

DATE

Eileen B. O'Hara

8/19/04

EXAMINER:

Initial if citation considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Respectfully submitted,

By:

Gail Kempler
Reg. No. 32,143
Joseph M. Sorrentino
Reg. No. 32,598
Attorneys for Applicant
Linda O. Palladino
Reg. No. 45,636
Patent Agent for Applicant
Regeneron Pharmaceuticals, Inc.
777 Old Saw Mill River Road
Tarrytown, New York 10591
(914) 345-7400